SELECT SOURCE, LLC.

Safety data sheet

Quinclorac Select 75DF Herbicide

Revision date: 2010/12/31

Page 1/11

Version: 3.2

(30233232/MDS CPA US/EN)

1. Substance/preparation and company identification

Company

Select Source, LLC

4609 Boonville-New Harmony Rd.

Evansville, IN 47725

24 Hour Emergency Response Information

CHEMTREC; 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP

Substance number:

00000063435

Molecular formula:

C10 H2 O2 N CI2 quinoline derivative

Chemical Family: Synonyms:

quinclorac

2. Composition/information on ingredients

CAS	Num	ber

Content (W/W)

Chemical name

84087-01-4

75.0%

quinclorac
Crystalline silica

14808-60-7

>=0.1% 25.0%

Proprietary Ingredients

3. Hazard identification

Emergency overview

CAUTION: HARMFUL IF INHALED.

HARMFUL IF SWALLOWED.

HARMFUL IF ABSORBED THROUGH SKIN.

May cause moderate but temporary irritation to the eyes.

Prolonged or repeated skin contact may cause sensitization or allergic reactions.

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of dusts/mists/vapours.

Potential health effects

See product label for additional precautionary statements.

Quinclorac Select 75DF Herbicide

Revision date: 2010/12/31

Page 1/2

Version: 3.2

(30233232/MDS CPA US/EN)

Primary routes of exposure

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute toxicity:

Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic ager short-term inhalation.

Irritation:

May cause moderate but temporary irritation to the eyes. May cause moderate irritation to the skin.

Sensitization:

Skin sensitizing effects were not observed in animal studies. Some individuals may develop an allergic dermatitis.

Repeated dose toxicity:

Information on: crystalline silica

This product may contain greater that 0.1% crystalline silica.

Repeated exposure to high concentrations results in silicosis, a lung disease characterized by coughing, difficult breathing, wheezing, scarring of the lungs, and repeated, non-specific chest illness.

Medical conditions aggravated by overexposure:

Individuals with pre-existing diseases of the respiratory system, skin, eyes, peripheral or central nervous system may have increased susceptibility to excessive exposures.

Potential environmental effects

Aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Terrestrial toxicity:

With high probability not acutely harmful to terrestrial organisms.

4. First-aid measures

General advice:

Fist aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or

Quinclorac Select 75DF Herbicide

Revision date: 2010/12/31

Page 1/3

Version: 3.2 (30233232/MDS CPA US/EN)

physician for treatment advice. Have the product container or label with or when calling a poison control center or doctor or going for treatment.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary.

If on skin:

Rinse skin immediately with plenty of water for 15-20 minutes.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Note to physician

Antidote:

No known specific antidote.

Treatment:

Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media:

Foam, dry extinguishing media, carbon dioxide, water spray

Hazards during fire-fighting:

Carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, halogenated hydrocarbons, Hydrocarbons.

If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released if the product is involved in a fire.

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

Quinclorac Select 75DF Herbicide

Revision date: 2010/12/31

Page 1/4 (30233232/MDS CPA US/EN)

Version: 3.2

6. Accidental release measures

Personal precautions:

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Cleanup:

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers of r reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and storage

Handling

General advice:

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCAIL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATIORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition — No smoking. Keep container tightly sealed. Protect contents form the effects of high. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warning even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable persona protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishing should be kept handy. Avoid all source of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national

Quinclorac Select 75DF Herbicide

 Revision date: 2010/12/31
 Page 1/5

 Version: 3.2
 (30233232/MDS CPA US/EN)

electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharged may cause ignition.

Storage

General advice:

Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, hear or flame. Protect containers form physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

Storage incompatibility:

General: Segregate from incompatible substances. Segregate form foods and animal feeds. Segregate from textiles and similar materials.

Temperature tolerance

Protect from temperatures above: 40° C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with workplace control parameters

Crystalline silica

OSHA

TWA value 2.4 millions of particles per cubic foot of air Respirable; TWA value 0.1 mg/m3 Respirable fraction;

Advice on system design:

Whenever possible, engineering control should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCAIL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilating is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respiratory is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use

Quinclorac Select 75DF Herbicide

Revision date: 2010/12/31

Page 1/6

Version: 3.2

(30233232/MDS CPA US/EN)

NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and /or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and chemical properties

Form:

granules, solid

Odour:

mild, characteristic

Colour:

tan

pH value:

3.2 (10 g/l)

Density:

not applicable

Bulk density:

 $565 - 593 \, g/l$

Viscosity, dynamic:

not applicable

Solubility in water:

64 mg/l

10. Stability and reactivity

Dust explosion class:

Kst value of 0 (St 0)

Quinclorac Select 75DF Herbicide

Revision date: 2010/12/31

Page 1/8 (30233232/MDS CPA US/EN)

Version: 3.2

Inhalation:

LC50/rat: >6.1 mg/l / 4h No mortality observed.

Dermal:

LD50/rat: > 2,000 mg/kg No mortality observed.

Skin Irritation:Rabbit: Irritating

Eye irritation:

Rabbit: moderately irritating

Sensitization:

Guinea pig: Non-sensitizing.

Genetic toxicity:

Information on: quinclorac

Results from a number of mutagenicity studies with microorganisms, mammalian cell culture and mammals are available. Taking into account all of the information, there is no indication that he substance is mutagenic.

Carcinogenicity:

Information on: quinclorac

In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity:

Information on: quinclorac

The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity/teratogenicity:

Information on: quinclorac

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Quinclorac Select 75DF Herbicide

Revision date: 2010/12/31

Page 1/7

Version: 3.2

(30233232/MDS CPA US/EN)

Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage. This product may form an explosive mixture if: 1. The dust is suspended in the atmosphere as a dust cloud AND 2. The concentration of the dust is above the lower explosion limit (LEL) AND 3. The limiting oxygen concentration (LOC) is exceeded.

Substance to avoid:

Strong oxidizing agents

Hazardous reactions:

The product is chemically stable

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

Decomposition products:

Hazardous decomposition products: carbon monoxide, carbon dioxide, hydrochloric acid, nitrogen oxides, Prolonged thermal loading can result in products of degradation being given off., No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

502.7 °F (VDI 2263, sheet 1, 1.4.1)

Possible thermal decomposition products:

Carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide, Hydrogen chloride, halogenated hydrocarbons, Hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. Risk of exothermic self-accelerating decomposition above the indicated temperature.

Corrosion of metals:

Corrosive effects to metal are not anticipated.

11. Toxicological information

Acute toxicity

Oral:

LD50/rat/male/female: >2,200 mg/kg

No mortality was observed.

Quinclorac Select 75DF Herbicide

Revision date: 2010/12/31

Version: 3.2

Page 1/9 (30233232/MDS CPA US/EN)

12. Ecological information

Information on: quinclorac

Environmental toxicity

Information on: quinclorac

Acute and prolonged toxicity to fish: Rainbow trout/LC50: => 100 ppm

Information on: quinclorac

Acute toxicity to aquatic invertebrates:

Daphnia magna: 113 ppm

Information on: quinclorac Toxicity on aquatic plants: Algae/EC50: > 100 ppm

Information on: quinclorac
Other terrestrial non-mammals:
Mallard duck/LC50: > 5,000 ppm
With high probability not acutely harmful to terrestrial organisms.
Honey bee/LD50: > 100 ug/bee
With high probability not acutely harmful to terrestrial organisms.

Other ecotoxicological advice:

The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated.

Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law.

If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at eh nearest EPA Regional Office for guidance.

Quinclorac Select 75DF Herbicide

Revision date: 2010/12/31

Page 1/10

Version: 3.2

(30233232/MDS CPA US/EN)

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means or prevent unauthorized use of used containers.

RCRA:

This product is not regulated by RCRA.

14. Transport information

Reference Bill of Lading

15. Regulatory information

Federal Regulations

Registration status:

TSCA, US

released / exempt

OSHA hazard category: Chronic target organ effects reported, ACGIH TLV established

SARA hazard categories (EPCRA 311/312): Acute, Chronic

SARA 313:

CAS Number

91-20-3

Chemical name

naphthalene

State Regulations

State RTK

CAS Number 14808-60-7

Chemical name

crystalline silica

State RTK

MA, NJ, PA

CA Prop. 65:

THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

16. Other information

Refer to product label for EPA registration number.

Recommended use: herbicide

Quinclorac Select 75DF Herbicide

Revision date: 2010/12/31

Page 1/11

Version: 3.2

(30233232/MDS CPA US/EN)

Local contact information Product Stewardship 919 547-2000

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPREESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FINESS OF A PARICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION FUNISHED BY SELECT SOURCE, LLC HERE UNDER ARE GIVEN GRATIS AND SELECT SOURCE, LLC ASSUMES ON OBLIGATION OR LIABILITY FOR THE DESPCRIPTION, DESIGNS, DATA AND IFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET.