

SAFETY DATA SHEET

1. Identification

1. Identification	
Product identifier	Multi Purpose Food Grade Grease
Other means of identification	
Product code	SL35600, SL35605, SL35607, SL35609
Recommended use	Lubricating grease
Recommended restrictions	None known.
Manufacturer/Importer/Supplie	r/Distributor information
Manufactured or sold by:	
Company name	CRC Industries, Inc.
Address	885 Louis Dr.
	Warminster, PA 18974 US
Telephone	
General Information	215-674-4300 800-521-3168
Technical Assistance	000-521-5100
Customer Service	800-272-4620
24-Hour Emergency	800-424-9300 (US)
(CHEMTREC)	703-527-3887 (International)
Website	www.crcindustries.com
2. Hazard(s) identificatio	n
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use. Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise	None known.

classified (HNOC)

3. Composition/information on ingredients

xtures			
Chemical name	Common name and synonyms	CAS number	%
White mineral oil		8042-47-5	50 - 60
Aluminum hydroxide benzoate stearate		54326-11-3	5 - 10
Zinc oxide		1314-13-2	5 - 10

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. If inhalation of a large amount does occur, call a physician immediately. Skin contact Wash off with plenty of water. Remove and isolate contaminated clothing and shoes. Get medical

Eye contactattention if irritation develops and persists. Wash contaminated clothing before reuse.Eye contactRinse immediately with plenty of water, also under the eyelids. Remove contact lenses, if present
and easy to do. Get medical attention if irritation develops and persists.IngestionRinse mouth. Drink 1 or 2 glasses of water. Do not induce vomiting without advice from poison

IngestionRinse mouth. Drink 1 or 2 glasses of water. Do not induce vomiting without advice from poison
control center. Never give anything by mouth to a victim who is unconscious or is having
convulsions. Get medical attention if symptoms occur. If ingestion of a large amount does occur,
call a poison control center immediately.Most importantDirect contact with eves may cause temporary irritation.

Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire-fighting equipment/instructions	Cool containers exposed to heat with water spray and remove container, if no risk is involved.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

6. Accidental release mea	150165
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	The product is immiscible with water and will spread on the water surface.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Sweep up or vacuum up spillage and collect in suitable container for disposal. Following product recovery, flush area with water.
	Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent entry into waterways, sewer, basements or confined areas.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Wear appropriate personal protective equipment. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. When using, do not eat, drink or smoke. Wash contaminated clothing before reuse. Use appropriate container to avoid environmental contamination. For product usage instructions, please see the product label.
Conditions for safe storage, including any incompatibilities	Keep away from heat and sources of ignition. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	or Air Contaminants (29 CFR 1910.1) Type	Value	Form
Calcium carbonate (CAS 471-34-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
White mineral oil (CAS 8042-47-5)	PEL	5 mg/m3	Mist.
Zinc oxide (CAS 1314-13-2)	PEL	5 mg/m3	Respirable fraction.
		5 mg/m3	Fume.
		15 mg/m3	Total dust.
US. ACGIH Threshold Limit			
Components	Туре	Value	Form
Aluminum hydroxide benzoate stearate (CAS 54326-11-3)	TWA	1 mg/m3	Respirable fraction.
White mineral oil (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.
Zinc oxide (CAS 1314-13-2)	STEL	10 mg/m3	Respirable fraction.
. ,	TWA	2 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	Form
Calcium carbonate (CAS 471-34-1)	TWA	5 mg/m3	Respirable.
,		10 mg/m3	Total
White mineral oil (CAS 8042-47-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Zinc oxide (CAS 1314-13-2)	Ceiling	15 mg/m3	Dust.
	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Dust.
		5 mg/m3	Fume.
logical limit values	No biological exposure limits noted for	• • • •	
propriate engineering trols	Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to maint exposure limits have not been establi	oplicable, use process enclosu ain airborne levels below reco	ires, local exhaust ventilation mmended exposure limits. I
vidual protection measures, Eye/face protection	such as personal protective equipmed wear safety glasses with side shields		
		· · · · · · · · · · · · · · · · · · ·	
Skin protection Hand protection	Wear protective gloves such as: Late	x Nitrile	
Other			
	Wear suitable protective clothing.		nalionale avacative linet
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
neral hygiene siderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. Physical and chemical properties

Odor	Mild petroleum.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	450 °F (232.2 °C) estimated
Flash point	> 430 °F (> 221.1 °C) Cleveland Open Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	0.89
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	500 °F (260 °C) estimated
Decomposition temperature	Not available.
Viscosity (kinematic)	> 20.5 mm²/s (104 °F (40 °C))
Percent volatile	55 % estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides. Metal oxides.

11. Toxicological information

Information on likely routes of	exposure	
Inhalation	Prolonged or excessive inhalation may cause respiratory tract irritation.	
Skin contact	Prolonged skin contact may ca dryness or cracking.	use temporary irritation. Repeated exposure may cause skin
Eye contact	Direct contact with eyes may c	ause temporary irritation.
Ingestion	Can cause stomach ache and	vomiting.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may c	ause temporary irritation.
Information on toxicological ef	fects	
Acute toxicity	Not available.	
Product	Species	Test Results

Multi Purpose Food Grade Grease

<u>Acute</u> Dermal LD50

)

Rabbit

3200 mg/kg estimated

Product	Species	Test Results	
Oral			
LD50	Rat	30607 mg/kg estimated	
* Estimates for product may b	e based on additional compo	onent data not shown.	
Skin corrosion/irritation	Prolonged skin contact ma	y cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes m	Direct contact with eyes may cause temporary irritation.	
Respiratory sensitization	Not available.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indica mutagenic or genotoxic.	te product or any components present at greater than 0.1% are	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
IARC Monographs. Overall	Evaluation of Carcinogenio	sity	
White mineral oil (CAS 8	042-47-5)	3 Not classifiable as to carcinogenicity to humans.	
US. National Toxicology Pro	ogram (NTP) Report on Ca	cinogens	
Not available.			
Reproductive toxicity	This product is not expected	ed to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Based on available data, t	he classification criteria are not met.	
Chronic effects	Prolonged inhalation may	be harmful.	
Further information	This product has no know	n adverse effect on human health.	

otoxicity		The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment		
Product		Species	Test Results	
Multi Purpose Food Grade	Grease			
Aquatic				
Acute				
Crustacea	EC50	Daphnia	1.96 mg/l, 48 hours estimated	
Fish	LC50	Fish	22 ppm, 96 hours estimated	
Components		Species	Test Results	
Calcium carbonate (CAS	171-34-1)			
Aquatic				
Acute				
Fish	LC50	Western mosquitofish (Gambusia affinis)) > 56000 mg/l, 96 hours	
Zinc oxide (CAS 1314-13-	2)			
Aquatic				
Acute				
Crustacea	EC50	Water flea (Daphnia magna)	0.098 mg/l, 48 hours	
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	1.1 ppm, 96 hours	
* Estimates for product ma	y be based on	additional component data not shown.		
sistence and degradabilit	y No data is	s available on the degradability of this product.		
accumulative potential	No data a	No data available.		
bility in soil	No data a	No data available.		
er adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

13. Disposal considerations

Disposal of waste from residues / unused products	This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.		
Hazardous waste code	Not regulated.		
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.		
14. Transport information	on		
DOT			
Not regulated as dangerous	s goods.		
ΙΑΤΑ			
Not regulated as dangerous	s goods.		
IMDG			
Not regulated as dangerous	s goods.		
15. Regulatory information			
US federal regulations	This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Zinc oxide (CAS 1314-13-2)

CERCLA Hazardous Substance List (40 CFR 302.4)

Zinc oxide (CAS 1314-13-2)

Listed.

CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)	Not regulated.
Food and Drug Administration (FDA)	Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 311/312 Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No	
	Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely	No	

hazardous substance

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Cadmium (CAS 7440-43-9)

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. New Jersev Worker and	Community Right-to-Know A	ct	
Calcium carbonate (CAS			
Zinc oxide (CAS 1314-13-			
White mineral oil (CAS 80	,		
US. Massachusetts RTK - Su	ubstance List		
Calcium carbonate (CAS 4 White mineral oil (CAS 80			
Zinc oxide (CAS 1314-13-			
US. Pennsylvania Worker an	d Community Right-to-Know	Law	
Zinc oxide (CAS 1314-13- Calcium carbonate (CAS 4			
White mineral oil (CAS 80			
US. Rhode Island RTK			
Zinc oxide (CAS 1314-13-	-2)		
US. California Proposition 6	5		
	Vater and Toxic Enforcement Ac sted as carcinogens or reproduc	ct of 1986 (Proposition 65): This material is ctive toxins.	s not known to contain
US - California Propositi	ion 65 - CRT: Listed date/Card	cinogenic substance	
Cadmium (CAS 7440		Listed: October 1, 1987	
Lead (CAS 7439-92-2		Listed: October 1, 1992	
-	ion 65 - CRT: Listed date/Dev	elopmental toxin	
Cadmium (CAS 7440		Listed: May 1, 1997	
Lead (CAS 7439-92-	1) ion 65 - CRT: Listed date/Fem	Listed: February 27, 1987	
Lead (CAS 7439-92-		Listed: February 27, 1987	
US - California Propositi	ion 65 - CRT: Listed date/Male		
Cadmium (CAS 7440 Lead (CAS 7439-92- ²		Listed: May 1, 1997 Listed: February 27, 1987	
olatile organic compounds (VO EPA	C) regulations		
VOC content (40 CFR	Not determined		
51.100(s))			
Consumer products (40 CFR 59, Subpt. C)	Not regulated		
State			
Consumer products	Not regulated		
VOC content (CA)	0.3 %		
VOC content (OTC)	0.3 %		
ternational Inventories			
Country(s) or region	Inventory name		On inventory (yes/no)*
Australia	Australian Inventory of Chemi	cal Substances (AICS)	Yes
Canada	Domestic Substances List (DS		Yes
Canada	Non-Domestic Substances Lis		No
China		I Substances in China (IECSC)	Yes
Europe	European Inventory of Existing		Yes
Firmera	Substances (EINECS)		Na
Europe	European List of Notified Cher		No
Japan		Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)		No
	NI 7 I II I		
New Zealand	New Zealand Inventory		
	•	cals and Chemical Substances	Yes No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	08-03-2015
Prepared by	Allison Cho
Version #	01
Further information	Not available.
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0 Personal protection: B
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
NFPA ratings	
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries.