# Safety Data Sheet



Zep, Inc 1310 Seaboard Industrial Blvd Atlanta, GA 30318 1-877-I-BUY-ZEP (428-9937) www.zep.com

Section 1. Chemical Product and Company Identification

Product name

Clean'Ems Upholstery & Carpet Spott Towels

Product use

Cleaning Towelette

Product code

6379

Date of issue

04/22/14

Supersedes 04/17/14

## **Emergency Telephone Numbers**

## For MSDS Information:

Compliance Services 1-877-I-BUY-ZEP (428-9937)

#### For Medical Emergency

(877) 541-2016 Toll Free - All Calls Recorded

#### For Transportation Emergency

CHEMTREC: (800) 424-9300 - All Calls Recorded In the District of Columbia (202) 483-7616

# Prepared By

Compliance Services 1259 Seaboard Industrial Blvd. Atlanta, GA 30318

#### Section 2. Hazards Identification

**Emergency overview** 

"Hazard Determination System (HDS): Health, Flammability, Reactivity

WARNING!

CAUSES EYE IRRITATION. HARMFUL IF ABSORBED THROUGH SKIN.

NOTE: MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse effects are lessened by following all prescribed safety precautions, including the use of proper personal protective equipment.

#### Acute Effects

Routes of Entry

Dermal contact.

Eyes

Causes eye irritation. Inflammation of the eye is characterized by redness, watering and itching.

Skin

May cause skin irritation. Harmful if absorbed through the skin. Skin inflammation is characterized by

itching, scaling, or reddening.

Inhalation Inhalation of high concentrations of vapor may affect the central nervous system. Ingestion

Unlikely in this form.

Chronic effects

Overexposure of this product by inhalation or absorption can produce central nervous system depression resulting in headache, nausea and/or dizziness. Contains material which may cause damage to the following organs: blood, kidneys, liver, upper respiratory tract, skin, eyes, central nervous system (CNS).

Carcinogenicity Classification Not listed as a carcinogen by OSHA, NTP or IARC.

Product/ingredient name	OSHA	IARC	NTP	ACGIH	EPA	NIOSH
Not available.	-					

# Additional information: See toxicological information (Section 11)

## Section 3. Composition/Information on Ingredients

Name	CAS number	%
Butoxydiglycol; 2-(2-butoxyethoxy)ethanol	112-34-5	10-20
Butoxyethanol; 2-butoxyethanol	111-76-2	1-5

Flash Point

Procedures

#### Section 4. First Aid Measures

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and Eye Contact

remove any contact lenses. Get medical attention immediately.

Wash with soap and water. Get medical attention if irritation develops. Skin Contact

Inhalation Remove to fresh air. If irritation persists, get medical attention.

Unlikely in this form. If swallowed, seek medical advice immediately and show this container or label. Ingestion

## Section 5. Fire Fighting Measures

Closed cup: 87.77°C (190°F).

(Tagliabue.) (For liquid form)

Not available. Flammable Limits

Flammability Combustible liquid.

May ignite when exposed to heat or flame. Fire hazard

Use an extinguishing agent suitable for the surrounding fire. Fire-Fighting

#### Section 6. Accidental Release Measures

Spill Clean up Spills are unlikely due to packaging. Unusable or contaminated product should be collected and stored in a suitable waste container.

#### Section 7. Handling and Storage

Avoid contact with skin and eyes. Use with adequate ventilation. Do not ingest. Do not reuse container. Observe label Handling

precautions. Wash thoroughly after handling.

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible Storage

materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Store

between the following temperatures: 40°F - 120°F (4.4°C - 49°C). Keep out of the reach of children.

# Section 8. Exposure Controls/Personal Protection

Ingredient	Exposure limits
Butoxydiglycol; 2-(2-butoxyethoxy)ethanol	ACGIH TLV (United States, 3/2012).
	TWA: 10 ppm 8 hours. Form: Inhalable fraction and vapor
Butoxyethanol; 2-butoxyethanol	OSHA PEL 1989 (United States, 3/1989). Absorbed through skin.
	TWA: 25 ppm 8 hours.
	TWA: 120 mg/m³ 8 hours.
	NIOSH REL (United States, 1/2013), Absorbed through skin.
	TWA: 5 ppm 10 hours.
	TWA: 24 mg/m³ 10 hours.
	ACGIH TLV (United States, 3/2012).
	TWA: 20 ppm 8 hours.
	OSHA PEL (United States, 6/2010). Absorbed through skin.
	TWA: 50 ppm 8 hours.
	TWA: 240 mg/m³ 8 hours.

# Personal Protective Equipment (PPE)

Eyes No special protection is required.

For prolonged or repeated handling, use the following type of Body

gloves: Neoprene gloves. Nitrile gloves. Rubber gloves.

Respiratory No special measures required.

## Section 9. Physical and Chemical Properties

**Physical State** Solid. [Towels]

9.0 - 9.5

**Boiling Point** Not applicable.

Not applicable. Specific Gravity

Vapor Density Not available. Evaporation Rate Not available. Solubility Not applicable

VOC (Consumer) 1.7 % (w/w) 0.145 lbs/gal (17.4 g/l)

Odor butyl acetate [Slight]

White Towels.

Color Clear Liquid.

Vapor Pressure Not available.

Page: 2/4

## Section 10. Stability and Reactivity

Stability and Reactivity

The product is stable.

Incompatibility

No incompatible product according to our database.

**Hazardous Polymerization** 

Will not occur.

Hazardous Decomposition Products carbon oxides (CO, CO2)

#### Section 11. Toxicological Information

Product/ingredient name	Result	Species	Dose	Exposure
Butoxydiglycol; 2-(2-butoxyethoxy)ethanol	LD50 Dermal	Rabbit	2700 mg/kg	
	LD50 Oral	Rat	4500 mg/kg	
Butoxyethanol; 2-butoxyethanol	LC50 Inhalation Gas.	Rat	450 ppm	4 hours
	LD50 Dermal	Rabbit	220 mg/kg	-
	LD50 Oral	Rat	250 mg/kg	

## Section 12. Ecological Information

Environmental Effects Not available.

## Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
Butoxydiglycol; 2-(2-butoxyethoxy) ethanol	Acute LC50 1300000 μg/l Fresh water	Fish - Lepomis macrochirus	96 hours
Butoxyethanol; 2-butoxyethanol	Acute EC50 >1000 mg/l Fresh water Acute LC50 800000 μg/l Marine water Acute LC50 1250000 μg/l Marine water	Daphnia - Daphnia magna Crustaceans - Crangon crangon Fish - Menidia beryllina	48 hours 48 hours 96 hours

## Section 13. Disposal Considerations

## **Waste Information**

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

Waste Stream Non-hazardous waste

### Section 14. Transport Information

UN number	Proper shipping name	Classes	PG*	Label
Not regulated.	-	-	-	
Not regulated		*	-	
	Not regulated.	Not regulated	Not regulated	Not regulated.

NOTE: DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

PG\*: Packing group

#### Section 15. Regulatory Information

# U.S. Federal Regulations

SARA 313 toxic chemical notification and release reporting:

# Product name

Butoxydiglycol; 2-(2-butoxyethoxy)ethanol

Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

All Components of this product are listed or exempt from listing on TSCA Inventory.

United States inventory (TSCA 8b): All components are listed or exempted.

# State Regulations

#### California Prop 65

No products were found.

Product code 6379

#### Safety Data Sheet

Product Name Clean'Ems Upholstery & Carpet Spotter Towels

## Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist,

\*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although these ratings are not required on MSDss under 29 CFR 1910.1200, the preparer may choose to provide them. HDS rottings are to be used with a fully implemented program to relay the meanings of this scale.

LMW