

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 01-Oct-2019

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against:	STAINLESS STEEL CLEANER POLISH 6310 Cleaning agent For Industrial and Institutional Use Only
Manufacturer/Supplier:	Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com
24 Hour Emergency Phone Number Medical Emergency/Information: Transportation/Spill/Leak:	's: 888-314-6171 CHEMTREC 800-424-9300
	2. HAZARDS IDENTIFICATION
GHS Classification Flammable Aerosols Gases Under Pressure	Category 1 Liquefied gas
<u>GHS Label Elements</u> Signal Word: Symbols:	Danger
Hazard Statements:	· · · ·
	Extremely flammable aerosol. Contains gas under pressure; may explode if heated
Precautionary Statements:	
Prevention:	Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal
Response: -Specific Treatment:	See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 122°F (50°C) Store in a well-ventilated place
Disposal:	Not Applicable
Hazards Not Otherwise Classified:	Not Applicable

Other Information:

- May cause skin irritation.
 - May cause eye irritation.
 - May be harmful if swallowed.
 - Inhalation of vapors or mist may cause respiratory irritation.
 - Keep out of reach of children.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	40-70
Middle Alkanes	64741-44-2	10-30
Butane	106-97-8	3-7
C10-C12 Alkane/Cycloalkane	64742-48-9	1-5
Propane	74-98-6	1-5
Dimethicone	63148-62-9	1-5
Polyglyceryl-3 Oleate	9007-48-1	1-5
Sodium Benzoate	532-32-1	0.1-1
Limonene	5989-27-5	0.1-1
Lime Oil Terpenes	68917-71-5	<0.1
A-Terpinyl Acetate	80-26-2	<0.1
Cymbopogon Nardus Oil	8000-29-1	<0.1
Citrus Aurantifolia Oil	8008-26-2	<0.1
Diethyl Phthalate	84-66-2	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES					
-Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if preser easy to do. Continue rinsing. If eye irritation persists: Get medical attention.					
-Skin Contact:	Wash with soap and water. If skin irritation occurs: Get medical attention.				
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.				
-Ingestion:	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.				
Note to Physicians:	Treat symptomatically.				
5. FIRE-FIGHTING MEASURES					
Suitable Extinguishing Media: Specific Hazards Arising from the Chemical: Hazardous Combustion Products:	Water spray (fog), Foam Extremely flammable aerosol. Exposure to high temperature may cause containers to burst. Bursting aerosol containers may be propelled from fire at high speed. May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.				
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Water may be used to cool closed containers to prevent pressure build-up and possible auto ignition or explosion when exposed to extreme heat.				

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Environmental Precautions:	Do not rinse spill onto the ground, into storm sewers or bodies of water.
Methods for Clean-Up:	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with
	non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)
	and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:Handle in accordance with good industrial hygiene and safety practice. Intentional misuse
by deliberately concentrating and inhaling contents may be harmful or fatal. Keep away
from heat/sparks/open flames/hot surfaces. — No smoking. Wash thoroughly after
handling.Storage Conditions:NFPA 30B Level 1 Aerosol. Do not store in direct sunlight or above 122 F° / 50 C°.
Exposure to high temperature may cause containers to burst. Keep out of the reach of
children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH	
Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³	TWA: 800 ppm TWA: 1900 mg/m ³	
Propane 74-98-6	: See Appendix F: Minimal Oxygen Content	TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³	
Diethyl Phthalate 84-66-2	TWA: 5 mg/m ³	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³	

Engineering Controls:	Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.
Personal Protective Equipment	
Eye/Face Protection:	Not required with expected use.
Skin and Body Protection:	Not required with expected use.
Respiratory Protection:	Not required with expected use.
	If occupational exposure limits are exceeded or respiratory irritation occurs, use of a
	NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section
	3 should be considered.
General Hygiene Considerations:	Wash hands and any exposed skin thoroughly after handling.
	See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Aerosol		
Color:	White		
Odor:	Lemon		
pH:	8.0-9.0		
Melting Point / Freezing Point:	No information available.		
Boiling Point / Boiling Range:	100 °C / 212 °F (Product without propellant)		
Flash Point:	< -18 °C / < 0 °F (Propellant-estimated)		
Evaporation Rate:	<1 (Butyl acetate = 1)		
Flammability (solid, gas)	No information available.		
Upper Flammability Limit:	No information available.		
Lower Flammability Limit:	No information available.		
Vapor Pressure:	No information available.		
Vapor Density:	No information available.		
Specific Gravity:	0.94 (Product without propellant)		
Solubility(ies):	No information available.		
Partition Coefficient:	No information available.		
Autoignition Temperature:	No information available.		
Decomposition Temperature:	No information available.		
Viscosity:	No information available.		

10. STABILITY AND REACTIVITY

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions	: Not expected to occur with normal handling and storage.
Conditions to Avoid:	Extremes of temperature and direct sunlight.
Incompatible Materials:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition	May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.
Products:	

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Symptoms of Exposure:	Eyes, Skin, Ingestion, Inhalation.
-Eye Contact:	Pain and redness.
-Skin Contact:	Drying of the skin.
-Inhalation:	Nasal discomfort and coughing.
-Ingestion:	Pain, nausea, vomiting and diarrhea.
Immediate, Delayed, Chronic Effect	S
Product Information:	Data not available or insufficient for classification.
Target Organ Effects: Numerical Measures of Toxicity	Central nervous system.

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):	24279 mg/kg
ATEmix (dermal):	9524 mg/kg
ATEmix (inhalation-gas):	3021468 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50 Not Available	
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available		
Middle Alkanes 64741-44-2			= 1.78 mg/L (Rat)4 h	
Butane 106-97-8	Not Available	Not Available	= 658 g/m³(Rat)4 h	
C10-C12 Alkane/Cycloalkane 64742-48-9	> 6000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	> 8500 mg/m³ (Rat)4 h	
Propane 74-98-6	Not Available	Not Available	= 658 mg/L (Rat)4 h	
Dimethicone 63148-62-9	> 24 g/kg (Rat)	Not Available	Not Available	
Sodium Benzoate 532-32-1	= 4070 mg/kg (Rat)	Not Available	Not Available	
Limonene 5989-27-5	= 5200 mg/kg (Rat) = 4400 mg/kg (Rat)	> 5 g/kg (Rabbit)	Not Available	
A-Terpinyl Acetate 80-26-2	= 5075 mg/kg (Rat)	Not Available	Not Available	
Cymbopogon Nardus Oil 8000-29-1	= 7200 mg/kg (Rat)	Not Available	Not Available	
Citrus Aurantifolia Oil 8008-26-2	> 5 g/kg (Rat)	Not Available	Not Available	
Diethyl Phthalate 84-66-2	= 8600 mg/kg (Rat)	> 11200 mg/kg (Rat)	> 4.64 mg/L (Rat)6 h	

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity				
Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea

6310 - STAINLESS STEEL CLEANER POLISH

C10-C12 Alkane/Cycloalkane 64742-48-9	Not Available	2200: 96 h Pimephales promelas mg/L LC50	Not Available	Not Available
Sodium Benzoate 532-32-1	Not Available	420 - 558: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	Not Available	650: 48 h Daphnia magna mg/L EC50
Limonene 5989-27-5	Not Available	0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	Not Available	Not Available
Diethyl Phthalate 84-66-2	23: 72 h Desmodesmus subspicatus mg/L EC50 23: 72 h Desmodesmus subspicatus mg/L EC50 static 21: 96 h Desmodesmus subspicatus mg/L EC50 21: 96 h Desmodesmus subspicatus mg/L EC50 static 42 - 255: 72 h Pseudokirchneriella subcapitata mg/L EC50 2.11 - 4.29: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	17: 96 h Pimephales promelas mg/L LC50 flow-through 16.8: 96 h Pimephales promelas mg/L LC50 static 22: 96 h Lepomis macrochirus mg/L LC50 flow-through 16.7: 96 h Lepomis macrochirus mg/L LC50 static 12: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	Not Available	36 - 74: 48 h Daphnia magna mg/L EC50 86: 48 h Daphnia magna mg/L EC50 Static

Persistence and Degradability:	No information available.
Bioaccumulation:	No information available.

Other Adverse Effects:

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes:Dispose of in accordance with federal, state and local regulations.Contaminated Packaging:Dispose of in accordance with federal, state and local regulations.Contaminated Packaging:Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

<u>DOT:</u>	UN1950
UN/ID No:	Aerosols
Proper Shipping Name:	2.1
Hazard Class:	This product meets the exception requirements of section 49 CFR 173.306 as a limited
Special Provisions:	quantity and may be shipped as a limited quantity.
<u>IMDG:</u> UN/ID No: Proper Shipping Name: Hazard Class: Additional information:	UN1950 Aerosols 2.1 Limited Quantity

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory) All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	Yes
Reactive Hazard:	No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION						
NFPA HMIS	Health Hazards: 1 Health Hazards: 1	Flammability: 2 Flammability: 2	Instability: 0 Physical Hazards: 2	Special: N/A		
Revision Date: Reasons for Revision:	01-Oct-2019 Section, 3, 8, 11, and, 12					

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet