



Issuing Date No data available

Revision Date 12-Nov-2014

Revision Number 1

SAFETY DATA SHEET



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name **GV 90OZ CLEAN SCENT**

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Liquid dishwashing soap

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Vi-Jon Inc.

Supplier Address 8515 Page Avenue
Saint Louis
MO
63114
US

Supplier Phone Number Phone:18004249300
Fax:3144271010
Contact Phone3145921474

Supplier Email pkorman@vijon.com

Emergency telephone number

2. HAZARDS IDENTIFICATION


Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Serious eye damage/eye irritation	Category 1
-----------------------------------	------------



GHS Label elements, including precautionary statements**Emergency Overview**

Signal word	Danger		
Hazard Statements	Causes serious eye damage		
			
Appearance	Blue	Physical state	Viscous liquid Liquid
			Odor Floral

Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

None

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

4.34235% of the mixture consists of ingredient(s) of unknown toxicity

Other information

Causes mild skin irritation
Toxic to aquatic life with long lasting effects

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Water, distilled, conductivity or of similar purity	7732-18-5	60 - 100	*
.alpha.-Alkyl (C10-16) .omega.-hydroxypoly (oxyethylene) sulfate, sodium salt	68585-34-2	1 - 5	*
Sodium lauryl sulfate	151-21-3	1 - 5	*
Sodium xylene sulfonate	1300-72-7	0.1 - 1	*
Alkenes, C>10 .alpha.-	64743-02-8	0.1 - 1	*
Sodium sulfate	7757-82-6	0.1 - 1	*
Phenoxyethanol	122-99-6	0.1 - 1	*
Citric acid	77-92-9	0.1 - 1	*
Sodium hydroxide	1310-73-2	< 0.1	*
Lauryl polyethylene glycol ether	9002-92-0	< 0.1	*
Formaldehyde	50-00-0	< 0.1	*
Methylisothiazolinone	2682-20-4	< 0.1	*
Acid blue 9	3844-45-9	< 0.1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Seek immediate medical attention/advice.

Skin contact

Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects Burning sensation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Uniform Fire Code

Irritant: Liquid

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Other Information

Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

Incompatible Products Strong oxidizing agents. Strong acids. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³
Formaldehyde 50-00-0	Ceiling: 0.3 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm (vacated) STEL: 10 ppm (vacated) Ceiling: 5 ppm STEL: 2 ppm	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state	Viscous liquid, Liquid	Odor	Floral
Appearance	Blue	Odor Threshold	No information available
Color	No information available		

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH	8.5	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	1.03	None known	
Water Solubility	Miscible in water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/water	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing properties	No data available		

Other Information

Softening Point	No data available
VOC Content (%)	No data available
Particle Size	No data available
Particle Size Distribution	

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water, distilled, conductivity or of similar purity 7732-18-5	> 90 mL/kg (Rat)	-	-
Sodium lauryl sulfate 151-21-3	= 1288 mg/kg (Rat)	= 580 mg/kg (Rabbit)	> 3900 mg/m ³ (Rat) 1 h
Sodium xylene sulfonate 1300-72-7	= 7200 mg/kg (Rat)	-	-
Sodium sulfate 7757-82-6	> 10000 mg/kg (Rat)	-	-
Phenoxyethanol 122-99-6	= 1260 mg/kg (Rat)	= 5 mL/kg (Rabbit)	-
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-
Formaldehyde 50-00-0	= 500 mg/kg (Rat)	= 270 mg/kg (Rabbit)	= 0.578 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms Erythema (skin redness). May cause blindness. Burning.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Formaldehyde 50-00-0	A2	Group 1	Reasonably Anticipated	X
Acid blue 9 3844-45-9		Group 3		

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
X - Present

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	No known effect based on information supplied.
Target Organ Effects	Eyes. Kidney.
Aspiration Hazard	No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

5,551.00 mg/kg

ATEmix (dermal)

18,797.00 mg/kg (ATE)

12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a marine pollutant according to DOT

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Sodium lauryl sulfate 151-21-3	96h EC50: 30 - 100 mg/L (Desmodesmus subspicatus) 96h EC50: = 117 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 3.59 - 15.6 mg/L (Pseudokirchneriella subcapitata) 72h EC50: = 53 mg/L (Desmodesmus subspicatus)	96h LC50: 8 - 12.5 mg/L (Pimephales promelas) 96h LC50: 22.1 - 22.8 mg/L (Pimephales promelas) 96h LC50: 4.3 - 8.5 mg/L (Oncorhynchus mykiss) 96h LC50: 15 - 18.9 mg/L (Pimephales promelas) 96h LC50: = 4.2 mg/L (Oncorhynchus mykiss) 96h LC50: = 7.97 mg/L (Brachydanio rerio) 96h LC50: = 4.62 mg/L (Oncorhynchus mykiss) 96h LC50: 9.9 - 20.1 mg/L (Brachydanio rerio) 96h LC50: 4.06 - 5.75 mg/L (Lepomis macrochirus) 96h LC50: 4.2 - 4.8 mg/L (Lepomis macrochirus) 96h LC50: 5.8 - 7.5 mg/L (Pimephales promelas) 96h LC50: = 4.5 mg/L (Lepomis macrochirus) 96h LC50: 10.2 - 22.5 mg/L (Pimephales promelas) 96h LC50: 6.2 - 9.6 mg/L (Pimephales promelas) 96h LC50: 13.5 - 18.3 mg/L (Poecilia reticulata) 96h LC50: 10.8 - 16.6 mg/L (Poecilia reticulata) 96h LC50: = 1.31 mg/L (Cyprinus carpio)	EC50 = 0.46 mg/L 30 min EC50 = 0.72 mg/L 15 min EC50 = 1.19 mg/L 5 min	48h EC50: = 1.8 mg/L
Sodium sulfate 7757-82-6		96h LC50: = 13500 mg/L (Lepomis macrochirus) 96h LC50: 3040 - 4380 mg/L (Lepomis macrochirus) 96h LC50: > 6800 mg/L (Pimephales promelas) 96h LC50: 13500 - 14500 mg/L (Pimephales promelas)		96h EC50: = 630 mg/L 48h EC50: = 2564 mg/L
Phenoxyethanol 122-99-6	72h EC50: > 500 mg/L (Desmodesmus subspicatus)	96h LC50: 337 - 352 mg/L (Pimephales promelas) 96h LC50: 220 - 460 mg/L (Leuciscus idus) 96h LC50: = 366 mg/L (Pimephales promelas)		48h EC50: > 500 mg/L
Citric acid 77-92-9		96h LC50: = 1516 mg/L (Lepomis macrochirus)		72h EC50: = 120 mg/L
Sodium hydroxide 1310-73-2		96h LC50: = 45.4 mg/L (Oncorhynchus mykiss)		
Formaldehyde 50-00-0		96h LC50: 22.6 - 25.7 mg/L (Pimephales promelas) 96h LC50: = 1510 µg/L (Lepomis macrochirus) 96h LC50: 0.032 - 0.226 mL/L	EC50 = 1.2 mg/L 1 h EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min	48h LC50: = 2 mg/L 48h EC50: 11.3 - 18 mg/L

		(Oncorhynchus mykiss) 96h LC50: = 41 mg/L (Brachydanio rerio) 96h LC50: 100 - 136 mg/L (Oncorhynchus mykiss) 96h LC50: 23.2 - 29.7 mg/L (Pimephales promelas)	EC50 = 7.26 mg/L 15 min EC50 = 9.0 mg/L 5 min	
--	--	---	--	--

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Sodium lauryl sulfate 151-21-3	1.6
Phenoxyethanol 122-99-6	1.13
Citric acid 77-92-9	-1.72
Formaldehyde 50-00-0	0.35

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods**Disposal methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde 50-00-0		Included in waste streams: K009, K010, K038, K040, K156, K157		

California Hazardous Waste Codes 561

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Sodium hydroxide 1310-73-2	Toxic Corrosive
Formaldehyde 50-00-0	Toxic Ignitable

14. TRANSPORT INFORMATION



DOT	NOT REGULATED
Proper Shipping Name	NON REGULATED
Hazard Class	N/A
Marine Pollutant	This product contains a chemical which is listed as a marine pollutant according to DOT
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA	Not regulated
Proper Shipping Name	NON REGULATED
Hazard Class	N/A
IMDG/IMO	Not regulated
Hazard Class	N/A
Marine Pollutant	Product is a marine pollutant according to the criteria set by IMDG/IMO
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL	All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Phenoxyethanol - 122-99-6	122-99-6	0.1 - 1	1.0
Formaldehyde - 50-00-0	50-00-0	< 0.1	0.1

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb			X



Formaldehyde 50-00-0	100 lb			X
-------------------------	--------	--	--	---

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Citric acid 77-92-9			RQ Section number 180.950
Sodium hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Formaldehyde 50-00-0	100 lb	100 lb	RQ= 100 lb final RQ RQ= 45.4 kg final RQ

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Formaldehyde - 50-00-0	Carcinogen

U.S. State Right-to-Know Regulations**International Regulations**

Component	Carcinogen Status	Exposure Limits
Sodium hydroxide 1310-73-2 (< 0.1)		Mexico: Ceiling 2 mg/m ³
Formaldehyde 50-00-0 (< 0.1)	A2	Mexico: Ceiling 2 ppm Mexico: Ceiling 3 mg/m ³

Canada**WHMIS Hazard Class**

Not determined

16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 0	Instability 0	Physical and Chemical Hazards - Personal Protection X
HMIS	Health Hazards 3	Flammability 0	Physical Hazard 0	

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Revision Date 12-Nov-2014

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text



End of Safety Data Sheet

