

SAFETY DATA SHEET

Issue Date 11-May-2016 Revision Date 05-Oct-2016 Version 2 Page 1 / 21

1. IDENTIFICATION

Product identifier

Product Name ManVer ® Hardness Indicator

Other means of identification

Product Code(s) 42532

Safety data sheet number M00635

UN/ID no UN2924

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory reagent. Indicator for hardness.

Uses advised against None. Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA (970) 669-3050

Emergency telephone number

(303) 623-5716 - 24 Hour Service (515)232-2533 - 8am - 4pm CST

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 3
Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word - Danger

Product Name ManVer ® Hardness Indicator **Revision Date** 05-Oct-2016 **Page** 2 / 21



Hazard statements

- H226 Flammable liquid and vapor
- H290 May be corrosive to metals
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H351 Suspected of causing cancer
- H373 May cause damage to organs through prolonged or repeated exposure

Precautionary statements

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P281 Use personal protective equipment as required
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P272 Contaminated work clothing should not be allowed out of the workplace
- P280 Wear protective gloves
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P233 Keep container tightly closed
- P240 Ground/bond container and receiving equipment
- P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment
- P242 Use only non-sparking tools
- P243 Take precautionary measures against static discharge
- P234 Keep only in original container
- P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- P363 Wash contaminated clothing before reuse
- P333 + P313 If skin irritation or rash occurs: Get medical advice/attention
- P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting
- P310 Immediately call a POISON CENTER or doctor/physician
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
- P390 Absorb spillage to prevent material damage
- P405 Store locked up
- P403 + P235 Store in a well-ventilated place. Keep cool
- P406 Store in corrosive resistant stainless steel container with a resistant inliner
- P501 Dispose of contents/ container to an approved waste disposal plant

Other Information

May be harmful if swallowed Toxic to aquatic life

Product Name ManVer ® Hardness Indicator

Revision Date 05-Oct-2016

Page 3/21

Substance Not applicable

Mixture

Percent ranges are used where confidential product information is applicable.

Chemical Name	CAS No	Percent Range	HMRIC #
1,2-Propanediol	57-55-6	50 - 100%	1
Hydroxylamine, hydrochloride	5470-11-1	1 - 5%	-
Isopropyl alcohol	67-63-0	1 - 5%	-
1-Naphthalenesulfonic acid,	3147-14-6	0.1 - 1%	-
3-hydroxy-4-[(2-hydroxy-5-methylphenyl)azo]-			

4. FIRST AID MEASURES

Description of first aid measures

General advice In case of accident or unwellness, seek medical advice immediately (show directions for

use or safety data sheet if possible).

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician immediately.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Call a physician immediately.

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a

physician immediately.

Ingestion IF SWALLOWED: Rinse Mouth. Do NOT induce vomiting. Call a physician immediately.

Self-protection of the first aider

Use personal protective equipment as required. Ensure that medical personnel are aware

of the material(s) involved and take precautions to protect themselves.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11: TOXICOLOGICAL INFORMATION.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Alcohol foam.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Flammable properties

Flammable; may be ignited by heat, sparks or flames. Flammable liquid. Classified as flammable according to GHS criteria. Highly flammable liquid and vapor. Flammable. Flammable liquids. Will be easily ignited by heat, sparks or flames. Vapors may cause flash fire or explosion. Vapors can travel to a source of ignition and flash back. Heating may cause a fire or explosion. Containers may explode when heated. May be ignited by friction, heat, sparks or flames.

Specific hazards arising from the chemical

Product Name ManVer ® Hardness Indicator

Revision Date 05-Oct-2016

Page 4/21

The product causes burns of eyes, skin and mucous membranes. Flammable. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Hazardous combustion products

Chlorides. Carbon monoxide, Carbon dioxide.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

U.S. NoticeOnly persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations

should respond to a spill involving chemicals.

EC Notice Only persons properly qualified to respond to an emergency involving hazardous

substances should respond to a spill involving chemicals. See Section 13, Special

Instructions for disposal assistance.

WHMIS Notice Only persons properly qualified to respond to an emergency involving hazardous

substances should respond to a spill involving chemicals. See Section 13, Special

Instructions for disposal assistance.

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Remove all sources of ignition. Do not touch or walk

through spilled material. Ventilate affected area. Use personal protective equipment as

required.

Environmental precautions

Environmental precautions Avoid release to the environment. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later

disposal.

Methods for cleaning up Take necessary precautions in observance of pertinent physical hazards. Neutralize spill if

necessary. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Dispose of in

accordance with local, state and federal regulations or laws.

Emergency Response Guide Number 132

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handlingUse personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Do not breathe dust/fume/gas/mist/vapors/spray. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be

grounded.

Conditions for safe storage, including any incompatibilities

Product Name ManVer ® Hardness Indicator

Revision Date 05-Oct-2016

Page 5/21

Storage Conditions Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep away

from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep containers tightly closed in a cool, well-ventilated place. Keep containers tightly closed in a dry, cool and well-ventilated place. Use spark-proof tools and

explosion-proof equipment. Keep/store only in original container.

Flammability class Class IC

Incompatible materials Oxidizers. Strong acids. Strong bases. Incompatible with strong acids and bases.

Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure GuidelinesThis product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
1 - 5%	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	_

-1	Chemical Name	Alberta OEL	British Columbia	Manitoba OEL	New Brunswick	New Foundland &
ı			OEL		OEL	Labrador OEL
ſ	Isopropyl alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 400 ppm	TWA: 200 ppm
1	1 - 5%	TWA: 492 mg/m ³	STEL: 400 ppm	STEL: 400 ppm	TWA: 983 mg/m ³	STEL: 400 ppm
1		STEL: 400 ppm			STEL: 500 ppm	
Į		STEL: 984 mg/m ³			STEL: 1230 mg/m ³	

Chemical Name	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL	Ontario TWA	Prince Edward Island OEL
1,2-Propanediol 50 - 100%	NDF	NDF	NDF	TWA: 10 mg/m ³ TWA: 50 ppm	NDF
				TWA: 155 mg/m ³	
Isopropyl alcohol	TWA: 200 ppm	STEL: 400 ppm	TWA: 200 ppm	TWA: 200 ppm	STEL: 400 ppm
1 - 5%	STEL: 400 ppm	TWA: 200 ppm	STEL: 400 ppm	STEL: 400 ppm	TWA: 200 ppm

Chemical Name	Quebec OEL	Saskatchewan OEL	Yukon OEL
Isopropyl alcohol	TWA: 400 ppm	TWA: 200 ppm	STEL: 500 ppm
1 - 5%	TWA: 985 mg/m ³	STEL: 400 ppm	STEL: 1225 mg/m ³
	STEL: 500 ppm		TWA: 400 ppm
	STEL: 1230 mg/m ³		TWA: 980 mg/m ³
			SKN*

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Legend See section 16 for terms and abbreviations

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Product Name ManVer ® Hardness Indicator

Revision Date 05-Oct-2016

Page 6/21

Eye/face protection Wear tight sealing safety goggles and/or face protection shield.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Take off all contaminated clothing and wash it before reuse. Wash hands thoroughly after handling. Regular cleaning of equipment, work area

and clothing is recommended.

Environmental exposure controls

Do not allow into any sewer, on the ground or into any body of water. Local authorities should be advised if significant spillages cannot be contained.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Gas Under Pressure Not classified according to GHS criteria

Appearance aqueous solution Color dark red

Odor Fruity Odor threshold No data available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Molecular weight No data available

pH 1.09

Melting point/freezing pointNo data availableBoiling point / boiling range118 °C / 244 °F

Evaporation rate 0.05 (water = 1)

Vapor pressure 1.35 mm Hg / 0.18 kPa at 20 °C / 68 °F Estimation based on theoretical

calculation

Vapor density (air = 1) 2.08 (air = 1)

Specific gravity (water = 1 / air = 1) 1.01

Partition Coefficient (n-octanol/water) Not applicable

Soil Organic Carbon-Water Partition

Coefficient

Not applicable

Autoignition temperature No data available

Decomposition temperatureNo data available

Dynamic viscosity No data available

Kinematic viscosity No data available

Product Name ManVer ® Hardness Indicator **Revision Date** 05-Oct-2016

Page 7/21

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

	Chemical Name	Solubility classification	Solubility	Solubility Temperature
I	Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other Information

Metal Corrosivity Classified as corrosive to metal according to GHS criteria

GHS Metal Corrosivity Classification Category 1, H290

Steel Corrosion Rate 7.32 mm/yr / 0.29 in/yr

Aluminum Corrosion Rate 0.03 mm/yr / 0 in/yr

Volatile Organic Compounds (VOC) Content See ingredients information below.

Chemical Name	Volatile organic compounds (VOC) content
Isopropyl alcohol	100%
(1 - 5%)	
CAS#: 67-63-0	

Bulk density Not applicable

Explosive properties Not classified according to GHS criteria.

Explosion dataNo data available

Upper explosion limit No data available

Lower explosion limit No data available

Flammable properties Flammable; may be ignited by heat, sparks or flames. Flammable

liquid. Classified as flammable according to GHS criteria. Highly flammable liquid and vapor. Flammable. Flammable liquids. Will be easily ignited by heat, sparks or flames. Vapors may cause flash fire or explosion. Vapors can travel to a source of ignition and flash back. Heating may cause a fire or explosion.

Containers may explode when heated. May be ignited by friction,

heat, sparks or flames.

GHS Flammability Classification Liquid - Category 3, H226 Liquid - Category 2, H225

Flammability Limit in Air

Upper flammability limit: No data available

Lower flammability limit: No data available

Flash point 26 °C / 79 °F

Method CC (closed cup)

Oxidizing properties Not classified according to GHS criteria.

Product Name ManVer ® Hardness Indicator Revision Date 05-Oct-2016 Page 8 / 21

Reactivity propeties

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

10. STABILITY AND REACTIVITY

Reactivity propeties

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria

Chemical stability

Stable under recommended storage conditions.

Special dangers of the product

None reported

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks. Exposure to air or moisture over prolonged periods. Contact with heat, sparks, open flames or other ignition sources. Take precautionary measures against static discharges.

Incompatible materials

Oxidizers. Strong acids. Strong bases. Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Explosive properties

Not classified according to GHS criteria.

Upper explosion limit No data available

Lower explosion limit No data available

Autoignition temperature

No data available

Sensitivity to Static Discharge

None reported

Sensitivity to Mechanical Impact

None reported

11. TOXICOLOGICAL INFORMATION

NIOSH (RTECS) Number None reported

Information on Likely Routes of Exposure

Product Information	Corrosive to skin. Corrosive to eyes. May be harmful if swallowed. Skin sensitizer.
Inhalation	Causes burns. Corrosive by inhalation.
Eye contact	Corrosive to the eyes and may cause severe damage including

Product Name ManVer ® Hardness Indicator **Revision Date** 05-Oct-2016

Page	9 /	21
------	-----	----

	blindness. Causes burns. Corrosive to eyes.	
Skin contact	Cause severe skin burns and eye damage. Causes burns. May	
	cause sensitization by skin contact.	
Ingestion	Ingestion causes burns of the upper digestive and respiratory	
	tracts. May be harmful if swallowed. Causes burns.	
Aggravated Medical Conditions	Eye disorders. Skin disorders. Respiratory disorders.	
Toxicologically synergistic products	None known.	
Toxicokinetics, metabolism and distribution	See ingredients information below.	

Chemical Name	Toxicokinetics, metabolism and distribution
1,2-Propanediol	Based on human data (oral child), large doses over prolonged period of time cause behavioral changes.
(50 - 100%)	
CAS#: 57-55-6	
Isopropyl alcohol	Isopropanol is rapidly absorbed across the gastric mucosa and reaches a peak concentration approximately
(1 - 5%)	30-120 minutes after ingestion. Isopropanol is primarily metabolized via alcohol dehydrogenase to acetone.
CAS#: 67-63-0	

Product Acute Toxicity Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	3,168.00 mg/kg
ATEmix (dermal)	25,229.00 mg/kg

Ingredient Acute Toxicity Data

Oral Exposure Route

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,2-Propanediol (50 - 100%) CAS#: 57-55-6	Rat LD ₅₀	20000 mg/kg	None reported	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)
Hydroxylamine, hydrochloride (1 - 5%) CAS#: 5470-11-1	Rat LD₅o			None reported	Vendor SDS
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Rat LD₅o	4710 mg/kg	None reported	Behavioral General anesthetic	OECD (Organization for Economic Co-operation and Development)
1-Naphthalenesulfoni c acid, 3-hydroxy-4-[(2-hydro xy-5-methylphenyl)az o]- (0.1 - 1%) CAS#: 3147-14-6	Rat	> 5000 mg/kg	None reported	None reported	No information available
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Human TD∟₀	223 mg/kg	None reported	Behavioral Hallucinations, Distorted perceptions	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Name ManVer ® Hardness Indicator **Revision Date** 05-Oct-2016

Page 10 / 21

	Cardiac Pulse rate decrease with fall in
	BP BP
	Vascular
	BP lowering not characterized in
	autonomic section

Dermal Exposure Route

Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
1,2-Propanediol	Rabbit	20800 mg/kg	None	None reported	IUCLID (The International
(50 - 100%)	LD50		reported	·	Uniform Chemical Information
CAS#: 57-55-6			•		Database)
Isopropyl alcohol	Rabbit	12800 mg/kg	None	None reported	RTECS (Registry of Toxic
(1 - 5%)	LD ₅₀		reported	·	Effects of Chemical
CAS#: 67-63-0			•		Substances)

Inhalation (Dust/Mist) Exposure Route Toxicological data for ingredients is not indicative of likely harm. Key literature references and **Chemical Name** Reported **Exposure Toxicological effects Endpoint** type dose time sources for data Isopropyl alcohol **Behavioral** RTECS (Registry of Toxic Rat 72.6 mg/L 4 hours (1 - 5%)General anesthetic Effects of Chemical LC50 CAS#: 67-63-0 Lungs, Thorax, or Respiration Substances) Other changes

Inhalation (Vapor) Exposure Route

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Human TC∟₀	35 mg/L	4 hours	Cardiac Pulse rate decrease with fall in BP	RTECS (Registry of Toxic Effects of Chemical Substances)
				Lungs, Thorax, or Respiration Other changes	,
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Human TC∟₀	150 mg/L	2 hours	Biochemical Enzyme inhibition, induction, or change in blood or tissue levels Other enzymes	

Inhalation (Gas) Exposure Route

No data available

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,2-Propanediol (50 - 100%) CAS#: 57-55-6	Standard Draize Test	Human	500 mg	7 days	Mild skin irritant	RTECS (Registry of Toxic Effects of Chemical Substances)
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Standard Draize Test	Rabbit	500 mg	None reported	Mild skin irritant	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and

Product Name ManVer ® Hardness Indicator **Revision Date** 05-Oct-2016

Page 11/21

						sources for data
1,2-Propanediol	Standard Draize	Human	104 mg	72 hours	Skin irritant	RTECS (Registry of
(50 - 100%)	Test		_			Toxic Effects of
CAS#: 57-55-6						Chemical Substances)

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,2-Propanediol (50 - 100%)	Standard Draize Test	Rabbit	500 mg	24 hours	Mild eye irritant	RTECS (Registry of Toxic Effects of
CAS#: 57-55-6						Chemical Substances)
Isopropyl alcohol	Standard Draize	Rabbit	100 mg	None	Corrosive to eyes	RTECS (Registry of
(1 - 5%)	Test			reported		Toxic Effects of
CAS#: 67-63-0						Chemical Substances)

Sensitization Information

Product Sensitization Data

Skin Sensitization Exposure Route No data available.

Respiratory Sensitization Exposure Route No data available.

Ingredient Sensitization Data

Skin Sensitization Exposure Route

Okin Conokization Expedit Notice :									
Chemical Name	Test method	Species	Results	Key literature references and					
				sources for data					
Isopropyl alcohol	None reported	Guinea pig	Not confirmed to be a skin sensitizer	OECD (Organization for Economic					
(1 - 5%)				Co-operation and Development)					
CAS#: 67-63-0									

Respiratory Sensitization Exposure Route No data available.

Chronic Toxicity Information

Product Repeat Dose Toxicity Data

Oral Exposure Route No data available.

Dermal Exposure Route No data available.

Inhalation (Dust/Mist) Exposure Route No data available.

Inhalation (Vapor) Exposure Route No data available.

Inhalation (Gas) Exposure Route No data available.

Ingredient Repeat Dose Toxicity Data

Oral Exposure Route

Of all Exposure Route								
Chemical Name	hemical Name Endpoint		Exposure Toxicological effects		Key literature references and			
	type	dose	time		sources for data			
Hydroxylamine,	Rat	2478 mg/kg	6 days	Behavioral	NIOSH (National Institute for			
hydrochloride	LDLo			Food intake	Occupational Safety and			

Product Name ManVer ® Hardness Indicator **Revision Date** 05-Oct-2016

Page 12/21

(1 - 5%) CAS#: 5470-11-1				Blood Changes in blood leukocyte count Nutritional and Gross Metabolic Weight loss or decreased weight gain	Health)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Hydroxylamine, hydrochloride (1 - 5%) CAS#: 5470-11-1	Rat LD∟₀	49500 mg/kg	25 weeks	Endocrine Changes in spleen weight Changes in thyroid weight	NIOSH (National Institute for Occupational Safety and Health)

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

innaiation (vapor)	Aposure Rout	<u> </u>			
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
1,2-Propanediol	Rat	2.180 mg/L	90 days	Behavioral	RTECS (Registry of Toxic
(50 - 100%)	TCLo			Food intake	Effects of Chemical
CAS#: 57-55-6				Biochemical	Substances)
				Enzyme inhibition, induction, or	
				change in blood or tissue levels	
				(dehydrogenases)	
				Endocrine	
				Changes in spleen weight	

Inhalation (Gas) Exposure Route

No data available

Chemical Name	CAS No	ACGIH	IARC	NTP	OSHA
1,2-Propanediol	57-55-6	-	-	-	-
Hydroxylamine, hydrochloride	5470-11-1	-	-	-	-
Isopropyl alcohol	67-63-0	-	Group 3	-	X
1-Naphthalenesulfonic acid, 3-hydroxy-4-[(2-hydroxy-5- methylphenyl)azo]-	3147-14-6	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Not classifiable as a human
	carcinogen
NTP (National Toxicology Program)	Does not apply
OSHA (Occupational Safety and Health Administration of the US Department of	X - Present
Labor)	

<u>Product Carcinogenicity Data</u>

No data available

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Product Code(s) 42532 Issue Date 11-May-2016

Version 2

Product Name ManVer ® Hardness Indicator

Revision Date 05-Oct-2016

Page 13 / 21

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Ingredient Carcinogenicity Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Product Germ Cell Mutagenicity invitro Data

No data available.

Ingredient Germ Cell Mutagenicity invitro Data

Toxicological data for ingredients is not indicative of likely harm.

Chemical Name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and
						sources for data
1,2-Propanediol	Cytogenetic	Hamster fibroblast	32000 mg/L	None	Positive test result for	RTECS (Registry
(50 - 100%)	analysis			reported	mutagenicity	of Toxic Effects of
CAS#: 57-55-6						Chemical
						Substances)

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Ingredient Germ Cell Mutagenicity in vivo Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route Toxicological data for ingredients is not indicative of likely harm.

Chemical Name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Cytogenetic analysis	Rat	0.00103 mg/L	16 weeks	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Oral Exposure Route No data available

Dermal Exposure Route No data available

Product Name ManVer ® Hardness Indicator **Revision Date** 05-Oct-2016

Page 14/21

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Ingredient Reproductive Toxicity Data

Oral Exposure Route Toxicological data for ingredients is not indicative of likely harm.

	21 un = x p = 0 un = 1 t = un =					
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and	
	type	dose	time		sources for data	
Isopropyl alcohol	Rat	32.4 mg/kg	None	Effects on Embryo or Fetus	RTECS (Registry of Toxic	
(1 - 5%)	TDLo		reported	Fetal death	Effects of Chemical	
CAS#: 67-63-0			-		Substances)	
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and	
	type	dose	time	-	sources for data	
Isopropyl alcohol	Rat	3500 mg/kg	None	Effects on Fertility	RTECS (Registry of Toxic	
(1 - 5%)	TDLo		reported	Mating performance (e.g. #	Effects of Chemical	
CAS#: 67-63-0				sperm positive females per #	Substances)	
				females mated; # copulations		
				per # estrus cycles)		
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and	
	type	dose	time	-	sources for data	
Isopropyl alcohol	Rat	8000 mg/kg	9 days	Effects on Embryo or Fetus	RTECS (Registry of Toxic	
(1 - 5%)	TDLo			Fetotoxicity (except death e.g.	Effects of Chemical	
CAS#: 67-63-0				stunted fetus)	Substances)	

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route Toxicological data for ingredients is not indicative of likely harm.

maiation (vapor) Exposure Route				Texteelegical data for ingrediente to not indicative of likely flam.		
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and	
	type	dose	time		sources for data	
Isopropyl alcohol	Rat	7000 mg/L	19 days	Specific Developmental	RTECS (Registry of Toxic	
(1 - 5%)	TCLo			Abnormalities	Effects of Chemical	
CAS#: 67-63-0				Musculoskeletal system	Substances)	
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and	
	type	dose	time		sources for data	
Isopropyl alcohol	Rat	10000 mg/L	19 days	Effects on Embryo or Fetus	RTECS (Registry of Toxic	
(1 - 5%)	TCLo			Fetal death	Effects of Chemical	
CAS#: 67-63-0				Effects on Fertility	Substances)	
				Post-implantation mortality (e.g.		
				dead and/or resorbed implants		
				per total number of implants)		
				Pre-implantation mortality (e.g.		
				reduction in number of implants		
				per female; total number of		
				implants per corpora lutea)		
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and	
	type	dose	time		sources for data	
Isopropyl alcohol	Rat TC _{Lo}	3500 mg/L	19 days	Effects on Embryo or	RTECS (Registry of Toxic	
(1 - 5%)				FetusFetotoxicity (except death	Effects of Chemical	
CAS#: 67-63-0				e.g. stunted fetus)	Substances)	

Inhalation (Gas) Exposure Route

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life.

Product Name ManVer ® Hardness Indicator

Revision Date 05-Oct-2016

Page 15/21

Product Ecological Data

Aquatic toxicity

Fish No data available

Crustacea No data available

Algae No data available

Terrestrial toxicity

Soil No data available

Vertebrates No data available

Invertebrates No data available

Ingredient Ecological Data

Aquatic toxicity

Fish

Chemical Name	Exposure	Species	Endpoint	Reported	Key literature references and
	time		type	dose	sources for data
1,2-Propanediol	96 hours	Pimephales promelas	LC ₅₀	51400 mg/L	IUCLID (The International
(50 - 100%)		•		_	Uniform Chemical Information
CAS#: 57-55-6					Database)
Isopropyl alcohol	96 hours	Pimephales promelas	LC ₅₀	4200 mg/L	IUCLID (The International
(1 - 5%)		•			Uniform Chemical Information
CAS#: 67-63-0					Database)
Chemical Name	Exposure	Species	Endpoint	Reported	Key literature references and
	time	-	type	dose	sources for data
Hydroxylamine,	48 hours	Leuciscus idus	LC ₅₀	1 mg/L	Vendor SDS
hydrochloride					
(1 - 5%)					
CAS#: 5470-11-1					

Crustacea

Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
1,2-Propanediol (50 - 100%) CAS#: 57-55-6	48 Hours	Daphnia magna	LC50	34400 mg/L	IUCLID (The International Uniform Chemical Information Database)
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	48 Hours	None reported	LC50	1400 mg/L	IUCLID (The International Uniform Chemical Information Database)

Algae

uguo					
Chemical Name	Exposure	Species	Endpoint	Reported	Key literature references and
	time		type	dose	sources for data
1,2-Propanediol	96 hours	Selenastrum capricornutum	EC ₅₀	19000 mg/L	IUCLID (The International
(50 - 100%)		·			Uniform Chemical Information
CAS#: 57-55-6					Database)
Isopropyl alcohol	72 Hours	Scenedesmus subspicatus	EC ₅₀	> 1000 mg/L	IUCLID (The International
(1 - 5%)		•			Uniform Chemical Information
CAS#: 67-63-0					Database)

Terrestrial toxicity

Product Name ManVer ® Hardness Indicator

Revision Date 05-Oct-2016

Page 16 / 21

Soil No data available

Vertebrates No data available

Invertebrates No data available

Other Information

Chemical Name	CAS No	Category	Persistent	Bioaccumulation	Inherently Toxic to Aquatic Organisms
1,2-Propanediol	57-55-6	-	-	-	-
Hydroxylamine, hydrochloride	5470-11-1	-	-	-	-
Isopropyl alcohol	67-63-0	-	-	-	-
1-Naphthalenesulfonic acid, 3-hydroxy-4-[(2-hydroxy-5- methylphenyl)azo]-	3147-14-6	-	-	-	-

Persistence and degradability

None known.

Product Biodegradability Data

If available, see ingredient data below.

Ingredient Biodegradability Data

Test data reported below

Chemical Name	Test method	Biodegradation	Exposure	Results
			time	
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	None reported	95%	21 days	Readily biodegradable

Bioaccumulation

If available, see ingredient data below.

Product Bioaccumulation Data Test data reported below.

Ingredient Bioaccumulation Data

No data available

Additional information

Product Information

Partition Coefficient (n-octanol/water)

Not applicable

Ingredient Information

Chemical Name	Partition Coefficient (n-octanol/water)	Method
1,2-Propanediol (50 - 100%) CAS#: 57-55-6	$log K_{ow} = -0.92$	No information available
Hydroxylamine, hydrochloride (1 - 5%) CAS#: 5470-11-1	log K _{ow} = -2.66	Estimation through KOWWIN v1.68 part of the Estimation Programs Interface

Product Name ManVer ® Hardness Indicator **Revision Date** 05-Oct-2016

Page 17 / 21

		(EPI) Suite™
Isopropyl alcohol	$log K_{ow} = 0.05$	No information available
(1 - 5%)		
CAS#: 67-63-0		
1-Naphthalenesulfonic acid,	$log K_{ow} = 2.24$	No information available
3-hydroxy-4-[(2-hydroxy-5-methylphenyl)azo]-	-	
(0.1 - 1%)		
CAS#: 3147-14-6		

Mobility

Mobility in soil: High mobility. If available, see ingredient data below.

Product Information

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Ingredient Information

Chemical Name	Soil Organic Carbon-Water Partition Coefficient	Method
1,2-Propanediol (50 - 100%) CAS#: 57-55-6	log K _{oc} = -0.41	No information available
Hydroxylamine, hydrochloride (1 - 5%) CAS#: 5470-11-1	log K _{oc} = 1.34	Estimation through KOCWIN v2.00 part of the Estimation Programs Interface (EPI) Suite™
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	log K _{oc} = 0.54	No information available

Additional information

Water solubility

Product Information

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Ingredient Information

Chemical Name	Water solubility classification	Water solubility	Water solubility temperature °C	Water solubility temperature °F
1,2-Propanediol CAS#: 57-55-6	Completely soluble	100000 mg/L	20 °C	68 °F
Hydroxylamine, hydrochloride CAS#: 5470-11-1	Soluble	> 1000 mg/L	25 °C	77 °F
Isopropyl alcohol CAS#: 67-63-0	Soluble	> 1000 mg/L	25 °C	77 °F
1-Naphthalenesulfonic acid, 3-hydroxy-4-[(2-hydroxy-5-methylphenyl)azo]- CAS#: 3147-14-6	Soluble	> 1000 mg/L	25 °C	77 °F

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Product Name ManVer ® Hardness Indicator

Revision Date 05-Oct-2016

Page 18 / 21

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national, and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D001, D002

Special instructions for disposal Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an

alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly

pour the reacted material to the drain.

14. TRANSPORT INFORMATION

DOT

UN/ID no UN2924

Proper shipping name Flammable liquid, corrosive, n.o.s.

DOT Technical Name (<10% Isopropanol/Hydroxylamine Hydrochloride Solution)

Hazard Class 3
Subsidiary class 8
Packing Group III
Emergency Response Guide 132

Number

TDG

UN/ID no UN2924

Proper shipping name Flammable liquid, corrosive, n.o.s.

TDG Technical Name (<10% Isopropanol/Hydroxylamine Hydrochloride Solution)

Hazard Class 3
Subsidiary class 8
Packing Group III

<u>IATA</u>

UN/ID no UN2924

Proper shipping name Flammable liquid, corrosive, n.o.s.

IATA Technical Name (<10% Isopropanol/Hydroxylamine Hydrochloride Solution)

Hazard Class 3
Subsidiary hazard class 8
Packing Group III
ERG Code 132

IMDG

UN/ID no UN2924

IMDG Technical Name (<10% Isopropanol/Hydroxylamine Hydrochloride Solution)

Hazard Class 3 Subsidiary hazard class 8 Packing Group III

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

Product Name ManVer ® Hardness Indicator **Revision Date** 05-Oct-2016

Page 19 / 21

15. REGULATORY INFORMATION

National Inventories

TSCA Complies DSL/NDSL Complies

TSCA- United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL- Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIoC	Complies

EINECS/ELINCS- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS- Japan Existing and New Chemical Substances

IECSC- China Inventory of Existing Chemical Substances

KECL- Korean Existing and Evaluated Chemical Substances

PICCS- Philippines Inventory of Chemicals and Chemical Substances

TCSI- Taiwan Chemical Substances Inventory

AICS- Australian Inventory of Chemical Substances

NZIoC- New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Isopropyl alcohol (CAS #: 67-63-0)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

Product Name ManVer ® Hardness Indicator **Revision Date** 05-Oct-2016

Page 20 / 21

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
1,2-Propanediol 57-55-6	X	-	X
Isopropyl alcohol 67-63-0	X	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 3	Instability - 0	Physical and Chemical
				Properties -
HMIS	Health hazards - 3	Flammability - 3	Physical hazards - 0	Personal protection - X
				- See section 8 for more
				information

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH Immediately Dangerous to Life or Health

ACGIH (American Conference of Governmental Industrial Hygienists)

NDF no data

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average)

MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value

X Listed Vacated These values have no official status. The only

STEL

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

STEL (Short Term Exposure Limit)

regulations.

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

TWA

Prepared By Hach Product Compliance Department

 Issue Date
 11-May-2016

 Revision Date
 05-Oct-2016

Revision Note None

Product Name ManVer ® Hardness Indicator Revision Date 05-Oct-2016 Page 21 / 21

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2016

End of Safety Data Sheet