

# SAFETY DATA SHEET BROMICIDE® TABLETS

# 1. Identification

**Product identifier** 

Product name

BROMICIDE® TABLETS

Chemical name

1-Bromo-3-chloro-5,5-dimethylhydantoin

**Product number** 

100404, 100408, 100411, 100870, 100423, 101507, 100974, 100409, 100410

**CAS** number

32718-18-6

### Recommended use of the chemical and restrictions on use

**Application** 

Biocides for water treatment.

Uses advised against

Industrial Use Only

# Details of the supplier of the safety data sheet

Supplier

BWA Water Additives US LLC 1979 Lakeside Parkway Suite 925, Tucker. GA30084.

T: (800) 600-4523.

(Technical/commercial enquiries)
E: MSDS@wateradditives.com

### Distributed by:

Emergency telephone number

**Emergency telephone** 

CHEMTREC Phone: 1-800-424-9300

### 2. Hazard(s) identification

# Classification of the substance or mixture

Physical hazards

Ox. Sol. 3 - H272

Health hazards

Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317

Environmental hazards

Aquatic Acute 1 - H400

# Label elements

# **Pictogram**









Signal word

Danger

#### Hazard statements

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

### Precautionary statements

P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking.

P220 Keep away from combustible materials.

P221 Take any precaution to avoid mixing with combustibles.

P260 Do not breathe vapor/ spray. P261 Avoid breathing vapor/ spray.

P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301+P310 If swallowed: Immediately call a poison center/ doctor. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P302+P352 If on skin: Wash with plenty of water.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/ shower.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see medical advice on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

#### **Contains**

1-Bromo-3-chloro-5,5-dimethylhydantoin

### 3. Composition/information on ingredients

# Mixtures

# 1-Bromo-3-chloro-5,5-dimethylhydantoin

96.0%

CAS number: 16079-88-2 M factor (Acute) = 1

#### Classification

Ox. Sol. 3 - H272

Acute Tox. 4 - H302

Skin Corr. 1B - H314

Eye Dam. 1 - H318

Skin Sens. 1 - H317

Aquatic Acute 1 - H400

Inert ingredients

CAS number: —

Classification

Not Classified

The full text for all hazard statements is displayed in Section 16.

Composition comments

1-bromo-3-chloro-5,5-dimethylhydantoin

### 4. First-aid measures

### Description of first aid measures

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Get medical attention.

**Ingestion** Do not induce vomiting. Never give anything by mouth to an unconscious person. Do not

induce vomiting. Rinse mouth thoroughly with water. Get medical attention immediately.

Skin Contact Remove contaminated clothing. Rinse immediately with plenty of water. Get medical attention

immediately.

**Eye contact** Remove affected person from source of contamination. Rinse immediately with plenty of

water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least

15 minutes. Get medical attention immediately

### Most important symptoms and effects, both acute and delayed

**Inhalation** Inhaltion of dust may cause irritation of the respiritory tract.

**Ingestion** May cause stomach pain or vomiting. May cause chemical burns in mouth and throat. Due to

the physical nature of this material it is unlikely that swallowing will occur.

**Skin contact** Chemical burns. Burning pain and severe corrosive skin damage.

**Eye contact** Severe irritation, burning and tearing.

### Indication of immediate medical attention and special treatment needed

Notes for the doctor If lavage is performed suggest endotracheal and/or esophageal control.Danger from lung

aspiration must be weighed against toxicity when considering emptying the stomach. The decision of whether to induce vomiting or not should be made by a physician. Chemical eye burns may require extended irrigation. Obtain prompt consultation preferably from an opthalmologist. If burn is present, treat as any thermal burn, after decontamination. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical

condition of the patient.

# 5. Fire-fighting measures

### Extinguishing media

Suitable extinguishing media Extinguish with the following media: Water spray, fog or mist. Alcohol-resistant foam. DO NOT

use CO2 or dry chemicals.

Unsuitable extinguishing

media

Carbon dioxide (CO2). Dry chemicals.

# Special hazards arising from the substance or mixture

Specific hazards Toxic gases/vapors/fumes of: Bromine. Chlorine. Oxides of the following substances: Carbon.

Nitrogen. Thermal decomposition or combustion products may include the following

substances: Toxic gases or vapors.

Revision date: 12/19/2016 Revision: 4.1

### **BROMICIDE® TABLETS**

# Advice for firefighters

Protective actions during firefighting

Move containers from fire area if it can be done without risk. Control run-off water by

containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

### 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Personal precautions

Follow precautions for safe handling described in this safety data sheet. For personal

protection, see Section 8.

**Environmental precautions** 

Environmental precautions Avoid release to the environment. To prevent release, place container with damaged side up.

### Methods and material for containment and cleaning up

Methods for cleaning up

Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses. Collect spillage for reclamation or disposal in sealed containers via a licensed waste contractor. Containers with collected spillage must be properly labeled with correct contents and hazard symbol. Wash thoroughly after dealing with a spillage. Avoid generation and spreading of dust. Avoid contact with water.

Reference to other sections

For personal protection, see Section 8. For waste disposal, see section 13.

# 7. Handling and storage

# Precautions for safe handling

Usage precautions

Provide adequate ventilation. Avoid inhalation of vapors. Use approved respirator if air contamination is above an acceptable level. Do not use in confined spaces without adequate ventilation and/or respirator. Avoid spilling. Avoid contact with skin and eyes. Avoid contact with the following materials: Acids. Moisture. Avoid handling which leads to dust formation.

### Conditions for safe storage, including any incompatibilities

Storage precautions

Store in a tightly-closed, original container in a dry, cool, and well-ventilated place. Store at temperatures not exceeding 50°C /122°F. Protect from freezing and direct sunlight. If frozen: once thawed, agitate container vigorously to ensure the product is homogeneous. Store away from the following materials; alkalis, acids, cyanides, reducing agents, oxidizing materials and aluminum. Do not use containers made of Carbon steel. Keep separate from food, feeds, fertilizers, and other sensitive materials.

Storage class

Oxidizer storage. NFPA STORAGE CLASSIFICATION:NFPA Oxidiser Class 2.

Specific end uses(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.

### 8. Exposure Controls/personal protection

Ingredient comments

No exposure limits known for ingredient(s).

Exposure controls

Protective equipment





Appropriate engineering

controls

All handling should only take place in well-ventilated areas.

Eye/face protection

The following protection should be worn: Chemical splash goggles or face shield.

Hand protection

Selection of a suitable glove depends on work conditions and whether the product is present on its own or in combination with other substances. Wear protective gloves made of the following material: Neoprene. Nitrile rubber. Polyethylene. Polyvinyl chloride (PVC). Gloves should be replaced immediately if signs of degradation are observed.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact. Wear a suitable dust

mask. Wear apron or protective clothing in case of contact.

Hygiene measures

Use engineering controls to reduce air contamination to permissible exposure level. Provide eyewash station. No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. Contaminated clothing should be placed in a closed container for disposal or decontamination.

Respiratory protection

Wear a suitable dust mask.

### 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

**Appearance** 

Tablet.

Color

White/off-white.

Odor

Slight. Halogen

Odor threshold

Not available. Not available.

рΗ

Not available. pH (diluted solution): 3.5 @ 0.15 %

Melting point

156 - 162°C

Initial boiling point and range

Not available.

Flash point

Not available.

Freezing Point:

**Evaporation rate** 

Not available.

Evaporation factor

Not available.

Upper/lower flammability or

explosive limits

Not applicable.

Vapor pressure

0.0038 Pa @ °C

Vapor density

Not available.

Relative density

Not applicable.

**Bulk density** 

~900 kg/m<sup>3</sup>

Solubility(ies)

0.15 @ °C Slightly soluble in water.

Partition coefficient

log Pow: 0.35

Auto-ignition temperature

Not available.

Viscosity

Not available.

Explosive properties

Scientifically unjustified.

Oxidizing properties

This material is oxidising keep away from fire/heat/sources of ignition.

Revision date: 12/19/2016 Revision: 4.1

# **BROMICIDE® TABLETS**

Other information Not available.

10. Stability and reactivity

**Reactivity** This material has oxidising properties.

Stability Stable at normal ambient temperatures. Avoid the following conditions: Moisture.

Possibility of hazardous

reactions

Will not polymerize.

Conditions to avoid Generates toxic gas in contact with acid. Avoid heat, flames and other sources of ignition.

Avoid excessive heat for prolonged periods of time.

Materials to avoid Strong acids. Strong alkalis. Strong reducing agents.

Hazardous decomposition

products

Toxic gases/vapors/fumes of: Hydrogen bromide (HBr). Bromine. Hydrogen chloride (HCl).

Chlorine. Oxides of the following substances: Carbon. Nitrogen.

### 11. Toxicological information

# Information on toxicological effects

Other health effects

There is no evidence that the product can cause cancer.

Supplemental Toxicological

Information

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

578.0

**Species** 

Rat

ATE oral (mg/kg)

520.83

Acute toxicity - dermal

Acute toxicity dermal (LD₅

mg/kg)

2,000.0

**Species** 

Rabbit

Germ cell mutagenicity

Genotoxicity - in vitro

Ames test: Negative.

Inhalation

May cause respiratory system irritation.

Ingestion

Harmful if swallowed.

**Skin Contact** 

Causes burns. May cause sensitisation by skin contact.

Eye contact

Causes burns.

Acute and chronic health

hazards

This product is corrosive. Contact with acids liberates toxic gas.

Route of entry

Skin and/or eye contact Ingestion. Inhalation

### 12. Ecological Information

Revision date: 12/19/2016

# **BROMICIDE® TABLETS**

**Ecotoxicity** 

The product contains a substance which is very toxic to aquatic organisms.

Acute toxicity - fish

LC50, 96 hours: 0.87 mg/l, Onchorhynchus mykiss (Rainbow trout)

LC<sub>50</sub>, 96 hours: 0.87 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: 0.46 mg/l, Daphnia magna EC<sub>50</sub>, 48 hours: 0.46 mg/l, Daphnia magna

Persistence and degradability

Persistence and degradability Halogens will dissociate in water leaving DMH. DMH is readily biodegradable in a CO2

Evolution study and passes the 10-day window criteria. DMH has also been shown to be

rapidly degraded in a water/sediment system.

Chemical oxygen demand

1.005 g O₂/g substance

Bioaccumulative potential

**Bio-Accumulative Potential** 

Low bioaccumulation potential

Partition coefficient

log Pow: 0.35

Mobility in soil

Mobility

Information not available.

Other adverse effects

Acute Toxicity. Lc50 96 Hours, 640 American Oyster

Mg/L

# 13. Disposal considerations

# Waste treatment methods

When handling waste, the safety precautions applying to handling of the product should be

considered.

Disposal methods

General information

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Absorb in vermiculite, dry sand or earth and place into containers. Dispose of waste via a licensed waste disposal contractor. Liquid material should be incinerated. Material absorbed onto sand or earth should be disposed of as solid waste in accordance with local regulations. Empty packaging may contain product residues and due

consideration should be given prior to disposal.

Waste class

07 01 99

# 14. Transport information

### **UN Number**

UN No. (TDG)

3085

UN No. (IMDG)

3085

UN No. (ICAO)

3085

UN No. (DOT)

3085

### UN proper shipping name

Proper shipping name (TDG)

OXIDIZING SOLID, CORROSIVE, N.O.S., (contains bromo-chloro-dimethylhydantoin) 5.1(8)

PGIII, MARINE POLLUTANT

Proper shipping name (IMDG) OXIDIZING SOLID, CORROSIVE, N.O.S., (contains bromo-chloro-dimethylhydantoin) 5.1(8)

PGIII, MARINE POLLUTANT

Proper shipping name (ICAO) OXIDIZING SOLID, CORROSIVE, N.O.S., (contains bromo-chloro-dimethylhydantoin) 5.1(8)

PGIII, MARINE POLLUTANT

Proper shipping name (DOT) OXIDIZING SOLID, CORROSIVE, N.O.S., (contains bromo-chloro-dimethylhydantoin) 5.1(8)

PGIII, MARINE POLLUTANT

# Transport hazard class(es)

TDG class 5.1

TDG subsidiary risk 8

TDG label(s) 5.1(8)

**IMDG Class** 5.1

IMDG subsidiary risk 8

ICAO class/division 5.1

ICAO subsidiary risk

### **DOT transport labels**





### Packing group

**TDG Packing Group** 

Ш IMDG packing group

Ш

Ш

ICAO packing group

DOT packing group Ш

### **Environmental hazards**

### **Environmentally Hazardous Substance**



#### Special precautions for user

**EmS** F-A, S-Q

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

Classification Code (Adr)

OC2

### 15. Regulatory information

#### This chemical is a pesticide product registered by the Environmental Protection Agency and is **Regulatory Status**

subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: DANGER Avoid contact with eyes, skin and clothing. EPA Reg. No.

83451-4

Regulatory References

29 CFR 1910.1010 Federal Regulations (OSHA Standard)

### **US Federal Regulations**

# SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

### CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed.

### SARA 313 Emission Reporting

None of the ingredients are listed.

## **US State Regulations**

### California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

# Massachusetts "Right To Know" List

None of the ingredients are listed.

### Rhode Island "Right To Know" List

None of the ingredients are listed.

# Minnesota "Right To Know" List

None of the ingredients are listed.

### New Jersey "Right To Know" List

None of the ingredients are listed.

# Pennsylvania "Right To Know" List

None of the ingredients are listed.

### Inventories

# EU - EINECS/ELINCS

All the ingredients are listed or exempt.

### Canada - DSL/NDSL

All the ingredients are listed or exempt.

#### **US-TSCA**

All the ingredients are listed or exempt.

### US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

### Australia - AICS

All the ingredients are listed or exempt.

### Japan - MITI

All the ingredients are listed or exempt.

### JAPAN- IHSL

# Korea - KECI

All the ingredients are listed or exempt.

### China - IECSC

All the ingredients are listed or exempt.

### Philippines - PICCS

All the ingredients are listed or exempt.

### 16. Other information

General information For advice on chemical emergencies, spillages, fires or first aid in relation to this product

please contact the relevant emergency number below: EU/English Speakers - +44 (0) 1235 239 670 (NCEC) Arabic Speakers - +44 (0) 1235 239 671 Asia/Pacific countries - +65 3158

1074 Within Mainland China: +86 532 8388 9090 (NRCC).

To/From China: +86 10 5100 3039 (NCEC)

Revision comments

4.1 Added NSF values and revised text in section 7.

Issued by

BWA Water Additives Regulatory Group, +44(0)1618646699

Revision date

12/19/2016

Revision

4.1

SDS No.

10804

Hazard statements in full

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

NFPA - health hazard

Extremely hazardous, serious injury. (3)

NFPA - flammability hazard

Burns only if pre-heated. (1)

NFPA - instability hazard

Unstable if heated. (1)

NFPA - special hazard

OX

ACA HMIS Health rating.

Serious Hazard. (3)

**ACA HMIS Flammability** 

rating.

Burns only if pre-heated. (1)

ACA HMIS Physical hazard

rating.

Unstable if heated. (1)

**ACA HMIS Personal** 

protection rating.

С

**NSF Non Food Program** 

Nonfood Compounds Program Listed B1, G5, G7 # 133178

For safety reasons it is IMPERATIVE that customers:-

<sup>1.</sup> Ensure that all those within their control who use the products are supplied with all relevant information contained within the Safety Data Sheet and Technical Bulletin concerning the applications for which the product is designed and any instructions and warnings contained therein.

<sup>2.</sup> Consult BWA Water Additives before using or supplying the product for any other applications. The information contained herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It should not therefore be construed as guaranteeing specific properties.